Date of test

gal/min

gal/min w/ stem set at

apm

ft drawdown after

240

Date:

ft. for 1

Was a chemical analysis made? No

Bailer test

Air test 12

Artesian flow

Temperature of water

WATER WELL REPORT 151843 CURRENT

State of Washington

Construction/Decommission:

Date Printed: 02-Jul-2004

Log No.

Notice of Intent No.:

W168960

Original Construction

6904

**AKO220** 

Construction

Notice of Intent #:

OWNER: MOORE, JAMES

Unique Ecology Well I.D. No.:

Water Right Permit Number:

PROPOSED USE: DOMESTIC Owners's Well Number: (If more than one well) TYPE OF WORK Method: ROTARY **NEW WELL DIMENSIONS:** Diameter of well: 6 inches Depth of completed well 240 ft. Drilled 240 Casing installed: WELDED **CONSTRUCTION DETAILS:** 6 " Dia from +2 ft. to 18 ft. Liner installed " Dia from ft. to ft. 5 ft. to 240 ft. 4 " Dia from ft. to ft. " Dia from Perforations: Yes Used In: Liner SKILL SAW Type of perforator used: SIZE of perforations in. by 1/8 ft. to 240 ft. Perforations from ft. Perforations from ft. to ft Perforations from ft. to No K-Pac Location: Manufacture's Name: Model No. Type: ft. Diam. slot size: from ft. to from ft. to slot size Diam Gravel/Filter packed: Size of Gravel ft. to Material placed from ft. Surface seal: To what depth 18 Material used in seal: BENTONITE Seal method: Did any strata contain unusable water?: Type of water: Depth of strata Method of sealing strata off PUMP: Manufacture's name Type: H.P. ٥ **WATER LEVELS:** Land-surface elevation above mean sea level: 0 ft. Static level 50 below top of well Date 04/13/2004 Artesian Pressure: lbs per square inch Date Artesian water controlled by WELL TESTS: Drawdown is amount water level is lowered below static level. Was a pump test made? No If yes, by whom? Yield: gal/min with ft drawdown after Yield: gal/min with ft drawdown after Yield: gal/min with ft drawdown after Recovery data (time taken as zero when pump turned off)(water level measured from well top to water level Water Level Time: Water Level Time: Water Level

OWNER ADDR: 14 SNOWBERRY RIDGE LANE CURLEW, WA 9911

14 SNOWBERRY RIDGE LANE Well Street Address:

County: FERRY City: Curlew, WA 99118

R 33E **EWM** SW 1/4 NE 1/4 Sec 1 T 39 Location:

Lat/Long: Lat Min/Sec Lat Dec (s, t, r still

Long Deg REQUIRED)

Long Min/Sec

Tax Parcel No.:

CONSTRUCTION OR DECOMMISSION PROCEDURE Formation: Describe by color, character, size of material and structure. Show thickness of aquifiers and the kind and nature of the material in each stratum penetrated. Show at least one entry for each change in formation.

Material	From	To
	0	2
TOPSOIL	2	9
CLAY BROWN	9	96
GRANITE HARD	96	98
GRANITE HARD FRACTURED W/WATER	98	163
GRANITE HARD	163	206
GRANITE MEDIUM HARD	206	218
GRANITE MEDIUM FRACTURED W/WATER GRANITE HARD SLY FRAC.	218	240
Notes: JUL 2 1 2732		
Work started 04/12/2004 Complete	d <b>04/13/2004</b>	
WELL CONSTRUCTION CERTIFICATION:		
I constructed and/or accept responsibility for construction of this all Washington well construction standards. Materials used and true to my best knowledge and belief	well and its complia the information rep	ance with orted are

true to my best knowledge and belief

✓ Driller ☐ Engineer ☐ Trainee

Name: MARTY RUGO

Signature: If trainee, Licensed driller is License No.: Licensed Driller Signature:

icense No.: 2038

## **Drilling Company:**

NAME: FOGLE PUMP & SUPPLY, INC.

Shop: REPUBLIC

ADDRESS: PO Box 456

Republic, WA 99166

5097752878 Toll Free: Phone:

8008453500

E-Mail: foglewest@rcabletv.com

FAX: 5097750498 WEB Site: www.foglepump.com

Contractor's

hrs.

hours

FOGLEPS095L4 Registration No.

Date Log Created: 06/04/2004