WATER WELL REPORT

State of Washington

Date Printed 26 Mar 2003

Log No

Construction/Decommission Construction

Original Construction

Notice of Intent #

3703 129822 **Notice of Intent No**

CURRENT

W168722 **AHG497**

Unique Ecology Well I D No

Water Right Permit Number

WNER SHAW DAVE

EWM

PROPOSED LISE POMESTIC	OWNER SHAW DAVE		
PROPOSED USE DOMESTIC	OWNER ADDR PO BOX 628 COLVILLE WA 99114		
TYPE OF WORK Owners s Well Number (If more than one well) 1	Well Street Address 337 DOUGLAS FALLS RD		
NEW WELL Method ROTARY	City Colville WA 99114 County STEVENS		
	Location NW 1/4 NE 1/4 Sec 18 T 35 R 40E		
DIMENSIONS Diameter of well 6 inches	1-4/1		
Drilled 300 ft Depth of completed well 300 ft	(s t r still		
CONSTRUCTION DETAILS Casing installed WELDED	REQUIRED) Long Deg Long Min/Sec		
6 Dia from +2 5 ft to 30 ft	Tax Parcel No		
Liner installed Dia from ft to ft			
4 Dia from 20 ft to 300 ft Dia from ft to ft	CONSTRUCTION OR DECOMMISSION PROCEDURE		
Perforations Yes Used In Liner	Formation Describe by color character size of material and structure Show thickness of aquifiers and the kind and nature of the material in each stratum		
Type of perforator used SKILL SAW	penetrated Show at least one entry for each change in formation		
SIZE of perforations 6 in by 1/4 in	Material		
75 Perforations from 200 ft to 300 ft	Material From GLACIAL TILL 0		
Perforations from ft to ft	GLACIAL TILL 0 QUARTZITE GRAY MEDIUM 25		
Perforations from ft to ft	CLAY INNERBEDS GRAY 57		
Screens No K Pac Location	QUARTRZITE GRAY MEDIUM 74		
	CLAY INNERBEDS BROWN 170		
Manufacture's Name	QUARTRZITE PINK SOFT 172		
Type Model No	FRACTURED W/WATER 238		
Diam slot size from ft to ft	QUARTRZITE GRAY MEDIUM 242 FRACTURED W/WATER 255		
Diam slot size from ft to ft	QUARTRZITE SOFT W/WATER 262 5.7		
Gravel/Filter packed No Size of Gravel	QUARTRZITE WHITE MEDIUM 280 0.5		
Material placed from ft to ft	[[
Surface seal Yes To what depth 18 ft	,		
Seal method Material used in seal BENTONITE	APR - 7 2003		
Did any strata contain unusable water? No	Notes		
Type of water Depth of strata	FORMATION PACKER @ 180		
Method of sealing strata off	D PYFT FVT OF FOOL Fr. 11-, DECICIA O		
PUMP Manufacture's name			
Type H P 0	Work started 03/07/2003 Completed 03/11/2003		
WATER LEVELS Land surface elevation above mean sea level 0 ft	WELL CONSTRUCTION CERTIFICATION		
	constructed and/or accept responsibility for construction of this well and its compliance		
Static level 150 ft below top of well Date 03/11/2003	all Washington well construction standards Materials used and the information reported true to my best knowledge and belief		
Artesian Pressure lbs per square inch Date			
Artesian water controlled by	✓ Driller ☐ Engineer ☐ Trainee		
WELL TESTS Drawdown is amount water level is lowered below static level	Name DAVID MEYER License No 2427		
Was a pump test made? No If yes by whom?	Signature David Mayor &		
Yield gal/min with ft drawdown after	X (II)		
Yield gal/min with ft drawdown after	If trainee Licensed driller is License No		
Yield gal/min with ft drawdown after	Licensed Driller Signature		
Recovery data (time taken as zero when pump turned off)(water level measured from well	Della - O		
top to water level Time Water Level Time Water Level Time Water Level	Drilling Company NAME FOGLE PUMP & SUPPLY INC Shop COLVILLE		
Time Water Level Time Water Level	· ·		
	ADDRESS 316 W 5TH		
	Colville WA 99114		
Date of test	Phone 509-684 2569 Toll Free 800 533-6518		
Bailer test gal/min ft drawdown after hrs	E Mail jrs@foglepump com		
Air test 15 gal/min w/ stem set at 299 ft for 1 hours	FAX 509-684 3032 WEB Site www foglepump com		
Artesian flow gpm Date	Contractor s		
Temperature of water Was a chemical analysis made? No	Registration No FOGLEPS095L4 Date Log Created 03/26/2		

penetrated Show at least one entry for each change in formation		
Material	From	То
GLACIAL TILL	0	25
QUARTZITE GRAY MEDIUM	25	57
CLAY INNERBEDS GRAY	57	74
QUARTRZITE GRAY MEDIUM	74	170
CLAY INNERBEDS BROWN	170	172
QUARTRZITE PINK SOFT	172	238
FRACTURED W/WATER	238	242
QUARTRZITE GRAY MEDIUM	242	255
FRACTURED W/WATER	255	262
QUARTRZITE SOFT W/WATER	262	280
OHADTOZITE MUITE MEDILIM	1,12 000	3200

2003 ORMATION PACKER @ 180 FUT OF FOOLOGY RECYCLA O TICE D PITT

WELL CONSTRUCTION CERT	FIFICATION
------------------------	------------

· -	✓ Dr	iller 📋	Engineer	Ш	Trainee
	y Dr	ıller []	Engineer		Trainee

rilling Company

egistration No FOGLEPS095L4 Date Log Created

03/26/2003